FALL, 1953 — WHOLESALE PRICE LIST — SPRING, 1954 ISAAC LANGLEY WILLIAMS

P. O. Box 352 EXETER, N. H.

We are pleased to offer for fall, 1953, and spring, 1954, the following Hardy Native Collected Ferns, Wild Flowers, Evergreens, Deciduous Trees and Shrubs. All are firstquality material, dug and packed by experienced men.

Terms are cash with order from unknown customers. To those of approved credit, terms are net 30 days from date of shipment. Boxing extra at cost. We sell 50 of the same

size and variety at the 100 rate, 500 at the 1000 rate.

We do **not** have the Japanese Beetle. Varieties marked (*) are suitable for rock gardens.

| HARDY NATIVE FERNS | LILIES AND BULBOUS PLANTS, Contd. Per Per Per |
|---|--|
| Ferns are one of our most useful groups of plants. They grow best in a shady location, but some will thrive in full sun. The following ferns are strong, clumpy plants and include the best varieties for general use. Varieties marked (†) will succeed in the open sun. Per Per Per | 12 100 1000 111 100 1000 111 |
| *ADIANTUM pedatum, (American Maidenhair) \$2.50 \$10.00 \$80.00 *ASPLENIUM platyneuron, (Ebony Spleenwort) 2.50 15.00 *ASPLENIUM *trichomanes, | superbum, (Turk's-cap Lily), extra large 6.00 45.00 strong selected first size 2.50 15.00 120.00 modium first size 2.00 10.00 90.00 |
| BOTRÝCHIUM virginianum, (Rattlesnake Fern). 2.50 15.00 *CAMPTOSORUS rhizophyllus, (Walking Fern). 2.50 15.00 *CYSTOPTERIS bulbifera, (Berry Bladder Fern). 2.00 10.00 80.00 *CYSTOPTERIS fragilis, (Brittle Bladder Fern). 3.00 15.00 *DENNSTAEDTIA punctilobula, (Hay-scented Fern) 2.00 10.00 80.00 †*DENNSTAEDTIA punctilobula, square foot sods. 3.50 25.00 200.00 | tigrinum, (Tiger Lily). 2.00 15.00 MERTENSIA virginica, (Virginia Bluebells) mammoth roots 3.50 25.00 strong first size. 2.50 15.00 120.00 strong first size. 2.00 8.00 70.00 *SANGUINARIA canadensis, (Bloodroot) first size 1.50 8.00 70.00 *TRILLIUM erectum, (Purple Trillium) first size. 1.50 8.00 70.00 *grandiflorum, (Snow Trillium), first size. 1.50 8.00 70.00 recurvatum, (Prairie Trillium), first size. 2.00 10.00 80.00 *sessile, (Red Toad Trillium), first size. 2.00 12.00 sessile luteum, (Yellow Toad Trillium), first size. 2.00 12.00 sessile luteum, (Yellow Toad Trillium), first size. 2.00 12.00 *stylesum (Rose Trillium), first size. 2.00 12.00 |
| DRYOPTERIS clintoniana, (Clinton Wood Fern) 2.50 15.00 cristata, (Crested Wood Fern) 2.50 10.00 90.00 disjuncta, (Ock Fern) 2.50 15.00 goldiana, (Goldie Wood Fern) 3.00 20.00 hexagonoptera, (Broad Beech Fern) 3.00 20.00 marginalis, (Leather Wood Fern) 2.00 10.00 80.00 marginalis, (Leather Wood Fern) 2.00 10.00 80.00 hexagonoptera, (Narrow Beech Fern) 2.00 10.00 80.00 phegopteris, (Narrow Beech Fern) 2.00 10.00 80.00 apinulosa, (Toothed Wood Fern) 2.00 10.00 80.00 thelyteris, (Marsh Fern) 2.00 10.00 80.00 thelyteris, (Marsh Fern) 2.00 10.00 80.00 CSMUNDA cinnamomea, (Cinnamom Fern) 2.50 12.00 10.00 80.00 CSMUNDA cinnamomea, (Cinnamom Fern) 2.50 12.00 10.00 80.00 CSMUNDA cinnamomea, (Cinnamom Fern) 2.50 12.00 100.00 CSMUNDA cinnamomea, (Cinnamom Fern) 2.50 12.00 100.00 CSMUNDA cinnamomea, (Cinnamom Fern) 2.50 12.00 100.00 CSMUNDA cinnamomea, (Cinnamom Fern) 2.50 12.00 10.00 CSMUNDA cinnamomea, (Cinnamom Fern) 2.50 12.00 100.00 CSMUNDA cinnamomea, (Cinna | *sessile, (Red Toad Trillium), first size |
| *phegopteris, (Narrow Beech Fern) 2.00 10.00 80.00 spinulosa, (Toothed Wood Fern) 2.00 10.00 80.00 thelypteris, (Marsh Fern) 2.00 10.00 | AND GROUND COVER PLANTS |
| †claytoniana. (Interrupted Fern) 2.50 12.00 100.00 regalis, (Royal Fern) 2.50 12.00 100.00 *POLYPODIUM vulgare. (Common Polypody), sods 2.00 10.00 80.00 *POLYSTICHUM acrostichoides. (Christmas Fern) 2.00 10.00 80.00 *POLYSTICHUM brauni, (Braun Holly Fern) 4.00 30.00 *POLYSTICHUM brauni, (Strick Fern) 2.50 10.00 80.00 *POLYSTICHUM scrubinum. (Stricken) 2.50 10.00 80.00 | *ACTAEA alba, (White Baneberry). \$2.50 \$12.00 *ACTAEA rubra, (Red Baneberry). 2.50 \$12.00 *ANEMONE cylindrica, (Candle Anemone). 2.50 12.00 *ANEMONE quinquefolia, (American Wood Anemone). 2.00 10.00 \$80.00 *ANEMONELLA thalictroides, (American Columbine). 2.50 15.00 *ANOULESUA canadensis, (American Columbine). 2.00 10.00 80.00 80.00 |
| †*WOODSIA ilvensis, (Rusty Woodsia) 2.50 16.00 *WOODSIA obtusa, (Common Woodsia) 2.50 16.00 WOODWARDIA virginiaa, (Virginia Chain Fern) 2.00 10.00 80.00 | ARALIA nudicaulis, (Wild Sarsaparilla) 2.50 12.00 *ASARUM canadense, (Canada Wild Ginger) 2.00 10.00 80.00 |
| HARDY NATIVE ORCHIDS Per Per Per 12 100 1000 | ASTER lineriifolius, (Savory Leaf Aster) 2.00 10.00 80.00 ASTER novacengliae, (New England Aster) 2.00 10.00 ASTER novibelgi, (New York Aster) 2.00 10.00 ASTER novibelgi, (New York Aster) 2.00 10.00 |
| 12 100 1000 | BAPTISIA tinctoria, (Yellow Wild Indigo) 3.00 20.00 CAULOPHYLLUM thalictroides, (Blue Cohosh) 2.50 15.00 *CHIMAPHILA umbellata, (Common Pipsissewa) 2.00 12.00 CHIOGENES hispidula, (Creeping Pearlberry) 2.50 18.00 CIMICIFUGA racemosa, (Cohosh Bugbane) 2.50 18.00 *CLAYTONIA virginica, (Virginia Spring Beauty) 2.00 12.00 100.00 *CLINTONIA borealis, (Yellow Beadlily) 2.50 15.00 *COPTIS trifolia, (Alaska Goldthread), sods. 2.00 10.00 80.00 |
| reginae (spectabile) (Showy Ladyslipper) 3.00 18.00 150.00 L-crown plants 3.00 18.00 150.00 Clumps with 2 to 3 crowns 6.00 40.00 4 to 8 flowering crown clumps 12.00 100.00 | (Bunchberry Dogwood), 4-in. sods. 2.50 18.00 (Bunchberry Dogwood), strong roots. 2.00 9.00 80.00 CORYDALIS sempervirens, (Pale Corydalis) 2.50 15.00 |
| GOODYERA pubescens, (Downy Rattlesnake Plantain) 3.00 20.00 | DALIBARDA repens, (Starviolet Dalibardad), sods. 2.30 12.00 100.00 |
| | *GAULTHERIA procumbens, (Checkerberry Wintergreen), sods |
| HARDY NATIVE LILIES AND BULBOUS PLANTS | HEMEROCALLIS fulva, (Tawny Day Lily) 2.00 10.00 90.00 |
| Per Per 100 1000 1000 ARISAEMA triphyllum. (Indian Jack-in-the-Pulpit)\$2.90 \$10.00 \$80.00 | 1 to 2 bud plants. 2.00 10.00 80.00 3 to 6 bud plants. 2.50 15.00 120.00 *americang. (Roundlobe Hepatica) |
| *CONVALLARIA majalis, (Lily-of-the-Valley), sods. 3.00 20.00 *DICENTRA canadensis, (Squirrel Corn) | *HEPATICA acutiloba, (Sharplobe Hepatica) 1 to 2 bud plants. 2.00 10.00 80.00 3 to 6 bud plants. 2.50 15.00 120.00 *americana, (Roundlobe Hepatica) 1 to 2 bud plants. 2.00 10.00 80.00 3 to 6 bud plants. 2.50 15.00 120.00 *HOUSTONIA carrulea, (Common Bluets), sods 2.00 10.00 80.00 HYPOXIS hirsuta, (Common Gold Star Grass) 3.00 20.00 *IRIS cristata, (Crested Iris) 3.00 20.00 |

FALL, 1953—WHOLESALE PRICE LIST—SPRING, 1954—ISAAC LANGLEY WILLIAMS

| THEE, 1555—WHOLESHEE PRIOR | 1191 | | PRING, 1934—ISAAC LANGI | ILI WI | | |
|---|----------------------|------------------|--|------------------------------------|------------------|-------------------------|
| WILD FLOWERS AND GROUND COVER PLANTS, Cor Per 1 | ntd. Per | Per | EVERGREENS, Contd. | Per | Per | Per |
| | 100 12.00 | 1000 | THUJA occidentalis, (Eastern Arborvitae) 3 to 6 ins | 10 | \$ 3.00 | 1000 \$ 20.00 |
| LIATRIS pycnostachya, (Kansas Gay-feather) 2.00 l LIATRIS scariosa, (Tall Gay-feather) 2.00 l | 10.00 10.00 | | 6 to 12 ins. 12 to 12 ins. 12 to 18 ins. 18 to 24 ins. TSUGA canadensis (Canada Hemlock) 4 to 8 ins. | \$2.50 | 6.00 15.00 | 50.00 120.00 |
| *LINARIA vulgaris, (Butter-and-eggs Toadflax) 2.00 l *LINNAEA americana, (American Twinflower) 2.50 l | 10.00 15.00 \$ | | 18 to 24 ins | 4.00 | 30.00 | |
| LOBELIA cardinalis, (Cardinal Flower), large | 10.00 7.00 | 80.00 60.00 | 4 to 8 ins | | 0.00 | 40.00 |
| LYCOPODIUM complanatum flabelliforme | 10.00 | | 8 to 12 ins. 12 to 18 ins. 18 to 24 ins. | 4.00 | 8.00 30.00 | 70.00 |
| obscurom, (Ground Pine) 2.00 1 | 15.00 | 100.00 120.00 | | | | |
| LITHROW Sancaria, (Purple Lythrum) 2.00 1 | 12.00 12.00 | 100.00 | HARDY NATIVE | | S | |
| | 10.00 | 80.00 | AND SHRUB | S | | |
| | 15.00 | 80.00 | Collected | Per | Per | Per |
| *MITCHLIA repens, (Parinagenerry), sods. 2.00 1 *MITCHLIA diphylla, (Common Miterwort). 2.50 1 | 15.00 | 80.00 | ACER pensylvanicum, (Striped Maple) 6 to 12 ins | | 100 | 1000 \$ 90.00 |
| *PEDICULARIS canadensis, (Early Pedicularis) 2.50 1 | 15.00 | | 1 to 2 ft | | 15 00 | 100.00 |
| *PHLOX divaricata. (Sweetwilliam Phlox) clumps. 2.50 1. | | 120.00 100.00 | rubrum, (Red Maple) | | 7.00 | 60.00 |
| POLYGALA paucifolia, (Fringed Polygala), sods 2.50 | 8.00 | 80.00 | 2 to 3 ft | | 10.00 | 90.00 120.00 |
| POLYGONATUM commutatum, | 18.00 | 00.00 | 4 to 6 ft | \$12.00 | 40.00 | |
| | | 150.00 | 8 to 10 ft | 16.00 25.00 | 150.00 175.00 | |
| *PYROLA americana, (American Pyrola) 2.00 I. *chlorantha, (Green Pyrola) 2.00 I. *elliptica, (Waxflower Pyrola) 2.00 I. | 2.00 | | saccharum, (Sugar Maple) l to 2 ft | | 6.00 | 50.00 |
| SANGUISORBA canadensis, (American Burnet) 2.50 1 | 2.00 8.00 | 100.00 | 2 to 3 ft | | 12.00 30.00 | 100.00 250.00 |
| SAYIFRAGA nennsylvanica | 12.00 | | 4 to 6 ft | 15.00 | 60.00 100.00 | 500.00 |
| *SAXIFRAGA virginiensis, (Virginia Saxifrage) 2.00 1 | 0.00 | | 8 to 10 ft | 20.00 | 160.00 200.00 | |
| | 0.00 | | 1½ to 1½-in. cal | 40.00 | 350.00 500.00 | |
| SMILACINA racemosa, (Feather Solomon's-seal) 2.00 1 | 15.00 | 80.00 | 13/4 to 2'-in. cal | 90.00 | 800.00 | |
| THALICTRUM dioicum, (Early Meadow Rue)2.50 1 | 15.00 | 00.00 | spicatum, (Mountain Maple) | 120.00 1, | 20.00 | 4 - 4 - |
| | 0.00 | 90.00 | 1 to 2 ft. 2 to 4 ft. rubrum, (Red Maple) 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 6 to 8 ft. 10 to 12 ft. 1 to 2 ft. 2 to 3 it. 3 to 4 ft. 4 to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 10 to 13 ft. 10 to 14 ft. 10 to 15 f | | 60.00 | |
| TRIENTALIS borealis, (American Starflower) 2.00 1 | 0.00 0.00 6.00 | 80.00 | ALNUS rugosa, (Hazel Alder) 2 to 3 ft., clumps. 3 to 4 ft., clumps. | 4.00 | 35.00 50.00 | |
| perfoliata, (Wood Merrybells). 2.50 1 | 6.00 | | AMELANCHIER canadensis. | | 30.00 | |
| VERRENA hastata, (Blue Verbena) | | 80.00 | 1 to 3 ft | 6.00 | 20.00 | |
| *VFRONICA officinalis, (Drug Speedwell) 2.00 1 *VINCA minor, (Common Periwinkle) clumps 2.00 1 *VIOLA blanda, (Sweet White Violet) 2.00 1 *canadensis, (Canada Violet) 2.00 1 *canadensis, (Canada Violet) 2.00 1 *eriocarpa, (Woolpod Violet) 2.00 1 *imbriatula, (Fringed Violet) 2.00 1 *lanceolata, (Lanceleaf Violet) 2.00 1 *pedata lineariloba, (Lilac Birdsfoot Violet), strong plants *pedata (bicolor) (Two-color Birdsfoot Violet), strong plants *pubescens, (Downy Violet) 2.00 1 *rotundifolia, (Roundleaf Violet) 2.00 1 | 8.00 | 70.00 | (Shadblow Serviceberry) 1 to 3 ft. 2 to 3 ft., clumps. 3 to 4 ft., clumps. ARONIA melanocarpa, (Black Chokeberry) 1 to 2 ft. 2 to 3 ft., clumps. 3 to 4 ft., clumps. Betular lenta, (Sweet Birch) | 8.00 | | 1171 |
| *canadensis, (Canada Violet). 2.50 1: cucullata, (Bogbice Violet). 2.00 1: | 5.00 | 80.00 | 1 to 2 ft | 5.00 | 9.00 40.00 | 80.00 |
| *eriocarpa, (Woolpod Violet) 2.00 li *fimbriatula, (Fringed Violet) 2.00 li | 0.00 | 80.00 | 3 to 4 ft., clumps | 7.00 | 60.00 | |
| *lanceolata, (Lanceleaf Violet) | 10.00 | 80.00 | Betula lenta, (Sweet Birch) 1 to 2 ft | | 8.00 | 50.00 70.00 |
| strong plants | 2.00 | 100.00 | 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 6 to 8 ft. | 5.00 | 20.00 35.00 | |
| strong plants 2.50 1. *pubescens, (Downy Violet) 2.00 1 | 0.00 | 120.00 80.00 | 6 to 8 tt | 15.00 | 120.00 | |
| rotunditolia, (Roundledt Violet) | 0.00 | 80.00 | 8 to 10 tt. 1utea (Yellow Birch) 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft | | 6.00 | 50.00 70.00 |
| | | | 2 to 3 tt 3 to 4 ft | 3.00 | 20.00 | |
| HARDY NATIVE EVERGRE | EN! | S | 3 to 4 ft. 4 to 6 ft. 6 to 8 ft. 8 to 10 ft. BETULA papyrifera. (Paper Birch) | 10.00 | 80.00 | |
| Collected | | | BETULA papyrifera, (Paper Birch) 6 to 12 ins | 10.00 | 4.00 | 30.00 |
| All evergreens will be carefully collected, and well-packe you in good condition. | ed to 1 | reach | 1 to 2 ft | | 6.00 | 50.00 70.00 |
| Per | Per 100 I | Per | 1 to 2 ft 2 to 3 ft 3 to 4 ft 4 to 6 ft | 3.50 | 25.00 40.00 | 200.00 |
| ABIES balsamea, (Balsam Fir) | | | 8 to 10 ft | 20.00 | 150.00 | |
| 8 to 12 ins | 8.00 | 60.00 | 10 to 12 ft | 25.00 | 200.00 | |
| CHAMAECYPARIS throides. | 30.00 | | 12 to 14 ft | 30.00 | | |
| (White Cedar False-cypress) | 5.00 | 40.00 | 5 to 6 ft., clumps, 3 stems and up 6 to 8 ftr., clumps, 3 stems and up 8 to 12 ftr., clumps, 3 stems and up. B 8 to 12 ftr., clumps, 3 stems and up. B populifolia, (Gray Birch) | .R 60.00 &B 80.00 | | |
| 1 to 2 ft 10 | 0.00 | 80.00 | populifolia, (Gray Birch) | | 4.00 | 30.00 |
| JUNIPERUS communis depressa, | 0.00 | | 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. | 3.00 | 5.00 15.00 | 40.00 125.00 |
| (Oldfield Common Juniper) 4 to 8 ins | 8.00 | 70.00 | 4 to 6 ft. 6 to 8 ft. | 8.00 | 35.00 70.00 | |
| 4 to 8 ins | 2.00 I | 100.00 | 6 to 8 ft. 4 to 6 ft., clumps. 6 to 8 ft., clumps. CARPINUS CATAINING (American Hornbeam) | 35.00 | 150.00 250.00 | |
| 2 to 3 ft., B&B. 25.00 20 | 0.00 0.00 | | | | 12.00 | 100.00 |
| | 8.00 | | 2 to 4 ft. 4 to 6 ft. CARYA (Hicoria) ovata, (Shagbark Hickory) | 7.00 | 30.00 60.00 | |
| | 2.00 | | 1 to 3 it | 5.00 | 40.00 | |
| | 8.00 | | 3 to 5 ft. CHAMAEDAPHNE calyculata, (Leather Leaf) 6 to 18 ins | | 75.00 | 70.00 |
| 12 to 18 ins. 2.50 21 | 0.00 | | 6 to 18 ins. 6 to 18 ins. clumps. | 5.00 | 8.00 40.00 | 70.00 |
| PINUS rigida, (Pitch Pine) | 0.00 | * * * * * | 6 to 18 ins | 3.00 | 7.00 | 60.00 |
| 2 to 3 tt B&B | | | 18 to 24 ins., clumps, heavy. 2 to 3 ft., clumps, heavy 3 to 4 ft., clumps, heavy | 4.00 6.00 | 25.00 35.00 | |
| TAXUS canadensis, (Canada Yew) 6 to 18 ins. in rooted layers. | 7.00 | 60.00 | 3 to 4 ft., clumps, heavy | 8.00 | 50.00 70.00 | |

FALL, 1953—WHOLESALE PRICE LIST—SPRING, 1954—ISAAC LANGLEY WILLIAMS

| HARDY NATIVE TREES AND SHRUBS, Collected, Contd. | | | | | | | | | |
|--|----------------|------------------|------------------|--|--------------|----------------|-------------------|--|--|
| COMPTONIA asplenifolia, (Sweet Fern) | Per 10 | Per 100 | Per 1000 | RHUS copallina, (Flameleaf Sumac) | Per 10 | Per 100 | Per 1000 | | |
| 6 to 18 ins | 4.00 | \$ 7.00 30.00 | \$ 60.00 | glabra, (Smooth Sumac) | | \$25.00 | | | |
| CORNUS alternifolia, (Pagoda Dogwood) | | | | 1 to 2 ft | | 7.00 10.00 | \$ 60.00 90.00 | | |
| 1 to 2 ft. 2 to 4 ft. florida, (Flowering Dogwood) | 6.00 | 50.00 | | 2 to 3 ft. 3 to 4 ft., stocky. typhina, (Staghorn Sumac) | | 25.00 | | | |
| 6 to 12 ins | | 6.00 9.00 | 50.00 80.00 | 6 to 12 ins | | 5.00 | 40.00 50.00 | | |
| 2 to 3 ft | 4.00 | 30.00 | 250.00 | 2 to 3 ft | | 12.00 25.00 | 100.00 | | |
| 3 to 4 ft. 4 to 6 ft. | 9.00 | 80.00 | | RUBUS odoratus, (Fragrant Thimbleberry) | | | 0.0 | | |
| 4 to 6 ft. 6 to 8 ft. 1 8 to 10 ft. 2 racemosa, (Gray Dogwood) | 5.00 | 200.00 | | 1 to 3 ft | | 20.00 | | | |
| racemosa, (Gray Dogwood) 1 to 2 ft | | 7.00 | 60.00 | 2 to 3 ftpubens, (Scarlet Elder) | | 10.00 | 90.00 | | |
| | 4.00 5.00 | 30.00 40.00 | | 1 to 2 ft | | 25.00 | | | |
| CORYLUS americana, (American Filbert) | | 8.00 | 70.00 | SORBUS americana, (American Mountain Ash) 6 to 18 ins | 4.00 | 25.00 | | | |
| | 5.00 | 40.00 | | 4 to 6 ft | 10.00 | 80.00 | | | |
| cornuta, (Beaked Filbert) | 6.00 | 50.00 | Ho. oo | 6 to 18 ins | 5.00 | 8.00 40.00 | 70.00 | | |
| | 6.00 | 8.00 50.00 | 70.00 | tomentosa, (Hardhack Spiraea) | 5.00 | 8.00 | 70.00 | | |
| CRATAEGUS intricata, (Thicket Hawthorne) 1 to 3 ft | | 25.00 | | 6 to 18 ins | 5.00 | 40.00 | 70.00 | | |
| 3 to 5 ft DIERVILLA lonicera, (Dwarf Bush Honeysuckle) | 6.00 | 50.00 | 50.00 | SYRINGA vulgaris, (Common Lilac) 1 to 2 ft | | 7.00 | 60.00 | | |
| DIRCA palustris, (Atlantic Leatherwood) 6 to 12 ins | | 10.00 | | 2 to 3 ft | 2.00 | 12.00 40.00 | 100.00 | | |
| 1 to 2 ft | 2.00 | 15.00 | | VACCINIUM angustifolium (pensylvanicum), (Lowbush Blueberry) | | | | | |
| 2 to 3 ft., branched. 3 to 5 ft., branched. | 6.00 | 50.00 | | 6 to 12 inssq. ft. sods | 5.00 | 10.00 | 90.00 250.00 | | |
| FAGUS grandifolia, (American Beech) 6 to 12 ins | | 6.00 | 50.00 | corymbosum, (Highbush Blueberry) | 0.00 | 15.00 | 120.00 | | |
| | 5.00 | 8.00 40.00 | 70.00 | 6 to 12 ins | 8.00 | 70.00 | | | |
| FRAXINUS americana, (White Ash) | 8.00 | 75.00 | | 18 to 24 ins., clumps. 2 to 3 ft., heavy clumps. 3 to 4 ft., heavy clumps. 4 to 5 ft., heavy clumps. | 15.00 | 120.00 | | | |
| l to 2 ft | | 6.00 9.00 | 50.00 80.00 | VIBURNUM acerifolium, (Mapleleaf Viburnum) | 23.00 | | | | |
| sq. ft. sods | 5.00 | 30.00 | 250.00 | 6 to 18 ins. 2 to 3 ft., clumps. 3 to 4 ft., clumps. | 6.00 | 8.00 50.00 | 70.00 | | |
| 6 to 18 ins | 5.00 | 15.00 40.00 | | alniolium, (Hobblebush Viburnum) | 8.00 | 70.00 | | | |
| 3 to 4 ft., clumps | 7.00 | 60.00 75.00 | | 1 to 3 ft | 7.00 | 10.00 60.00 | 80.00 | | |
| 4 to 5 ft., clumps ILEX verticillata, (Common Winterberry) 1 to 2 ft | 0.00 | 7.00 | 60.00 | 2 to 3 ft., clumps. cassinoides, (Witherod Viburnum) l to 2 ft. | | 8.00 | 70.00 | | |
| 18 to 24 ins clumps | 5.00 | 35.00 50.00 | | 12 to 18 ins., clumps | 3.00 4.00 | 25.00 30.00 | 225.00 | | |
| 2 to 3 ft., clumps. 3 to 4 ft., clumps. 4 to 6 ft., clumps. 1 | 7.00 | 60.00 | | 2 to 3 ft., clumps | 5.00 | 40.00 | | | |
| KALMIA angustifolia, (Lambkill Kalmia) | | 90.00 | | 4 to 5 ft., clumpsdentatum, (Arrow-wood Viburnum) | 10.00 | 80.00 | | | |
| 6 to 18 inssg. ft. sods | 5.00 | 8.00 40.00 | 70.00 300.00 | 1 to 2 ft | 4.50 | 8.00 35.00 | 70.00 | | |
| | 2.50 | 18.00 | 150.00 | 3 to 4 ft., clumps. 4 to 5 ft., clumps. | 6.00 | 50.00 65.00 | | | |
| polifolia, (Bog Kalmia) LINDERA benzoin, (Common Spicebush) | 4.00 | 30.00 | | 5 to 6 ft., clumps | 12.00 | | | | |
| I to 2 ft | 5.00 | 8.00 40.00 | | 1 to 2 ft | 4.50 | 10.00 35.00 | 80.00 | | |
| LYONIA ligustring, (He-Huckleberry) | 8.00 | 70.00 | | 3 to 4 ft., clumps. 4 to 5 ft., clumps. | 5.50 | 45.00 55.00 | | | |
| MYRICA gale. (Sweet Gale. Bay Rum) | | 10.00 | 80.00 | 5 to 7 ft., clumps | 7.50 | 65.00 | | | |
| 1 to 3 ft. 2 to 3 ft., clumps. NEMOPANTHUS mucronata, (Mountain Holly) | 7.00 | 60.00 | | NURSERY-GROWN ST | 00 | CK | | | |
| 1 to 3 ft | 8.00 | 15.00 60.00 | | Evergreen Transpla | | | | | |
| 3 to 4 ft., clumps | 9.00 | 80.00 | | | | Per | Per | | |
| OSTRYA wirginiana (American Hop Hornbeam) | 5.00 | 40.00 | | ABIES balsamea, (Balsam Fir) | | 100 | 1000 | | |
| 6 to 18 ins | 2.50 | 12.00 20.00 | 100.00 150.00 | 8 to 12 ins. transplants, 2-3 THUJA occidentalis, (Eastern Arborovitae) | | 40.00 | | | |
| 3 to 5 ft | 6.00 | 50.00 | | THUJA occidentalis, (Eastern Arborvitae) 18 to 24 ins. transplants, 2-3. TSUGA canadensis, (Canada Hemlock) | | 15.00 | 120.00 | | |
| PRUNUS pensylvanica. (Pin Cherry) | , | 25.00 | | 8 to 12 ins. transplants, 2-2 | | 20.00 | 120.00 180.00 | | |
| 1 to 2 ft | | 5.00 6.00 | 40.00 50.00 | | | | | | |
| 3 to 4 ft. 4 to 6 ft. | 3.00 | 8.00 | 70.00 180.00 | BALLED AND BURLA | ID. | ED | | | |
| 6 to 8 ft | 5.00 | 40.00 | | EVERGREENS | 45 | iii l | | | |
| 1 to 3 ft | 5.00 | 40.00 | | Nursery-grown | | | | | |
| QUERCUS bicolor, (Swamp White Oak) | 6.00 | 00.00 | | | | ach I Per | Each Per | | |
| l to 3 ft. borealis, (Northern Red Oak) 6 to 12 ins | 0.00 | 6.00 | 50.00 | TSUGA canadensis, (Canadian Hemlock) | | 10 | 100 | | |
| 1 to 3 ft | 6.00 | 30.00 | | 200 18 to 24 ins., B&B | \$ | 3.00 | \$2.25 2.75 | | |
| 4 to 6 ft | 10.00 | 80.00 | | 150 of Landausis, Common Felines 150 of Landaus | | 3.50 | 3.25 | | |
| 6 to 8 ft. RHODOENDRON carolinianum, | 0.00 | 150.00 | | | | | 5.00 | | |
| (Carolina Rhododendron) 6 to 12 ins | 2.50 | 20.00 | 180.00 | 170 2 to 3 ft., B&B | | 2.25 | 1.75 2.00 | | |
| canadense, (Rhodora) 1 to 3 ft | 20.00 | 10.00 | 90.00 | 4U 4 TO 5 II., BQB | | 4./5 | | | |
| 18 to 24 ins., clumps, B&B | 40.00 25.00 | 150.00 200.00 | | SYRINGA vulgaris. (Common Purple Lilac) | | | T. | | |
| catawbiense, (Catawba Rhododendron) 6 to 12 ins | 2.50 | 20.00 | 180.00 | 50, 10, 1, 04, 1 | | Per 10 | 100 | | |
| maximum, (Rosebay Rhododendron) 6 to 12 ins | 2.50 | 18.00 | 150.00 | 50 18 to 24 ins | | 5.00 | \$35.00 45.00 | | |
| | | | | | | | | | |

62.55

After 5 days return to
ISAAC LANGLEY WILLIAMS
EXETER WILD FLOWER GARDENS

P. O. Box 352

EXETER, NEW HAMPSHIRE, U. S. A.

RETURN POSTAGE GUARANTEED

JAN 4 - 1554 U. S. Deparament

Meforence Librarian
Div. Fruit & Vegetable Crops
U. S. Dept. Agriculture
Modification, D. C.

Sec. 34.66, P. L. & R. U. S. POSTAGE **PAID**

Exeter, N. H. Permit No. 32 Ma